

Quality Model Based Decision Support System for Cloud Migration

Anu A S¹

PG Scholar, Dept of Computer Science and Engineering, TKM Institute of Technology, Kollam, India¹

Abstract: The aim of this work is the selection of most suitable cloud service provider for the migration of existing applications. Here the cloud provider selection is not only based on the quantitative and qualitative requirements of the application, but also based on cost minimization. For this purpose, this work proposes a decision support system that makes decisions with the help of a migration framework, which consider both the quantitative and qualitative factors. The proposed framework is then compared against the existing works.

Keywords: Cloud migration; decision support system; migration framework; usage pattern; Quality of Service

I. INTRODUCTION

Cloud computing is one of the widely used computing terminologies in now a day. It is mainly intended for the delivery of computing as a service, based on utility billing model. The advantages of cloud computing was not get fully explored, even though the concept was introduced in 1950s. Now a day, the cloud becomes more and more popular and has become interesting for commercial exploitation. Cloud computing market grows day by day and a very large number of cloud service providers are there in the market. In order to reap the benefits of cloud, the existing applications need to migrate to the cloud [1]. But selection of suitable cloud service provider, which satisfies all the functional and qualitative requirements of an application, is a puzzling riddle. Selection process of suitable cloud service requires the analysis and comparison of different quantitative and qualitative parameters, which is difficult to done manually [2], [3]. The selection of cloud service which best suits an application is complicated by different factors [4]. This is because different cloud providers have different standards for their services and for the similar services itself their pricing policies are different. The absence of standard measures that allow for the comparison of various cloud services puts cloud customers at risk of missing the full value of cloud services.

To address this problem and to define measures those are globally appropriate for the cloud services, we propose a quality model based decision support system that focus on provider selection and cost calculation. In peculiar:

- We present a set of requirements for making a decision about migration of application.
- We propose a quality model based decision support system architecture which incorporates migration framework and service selector.
- We narrate a prototypical implementation of the recommended approach that we evaluate in practice.

The rest of this paper is organized as follows: Section II summarizes the related work. Section III describes our

proposal for Quality Model Based Decision Support System and its key components. Section IV gives details of implementation. Section V discusses evaluation and section VII concludes the work.

II. RELATED WORK

During the selection of cloud services, quality of service and cost are two major concerns. Different frameworks and systems are developed for this selection process. For the estimation of cost for using public IaaS cloud, a cost modelling tool was proposed [5]. This allows the cloud customers to model their application and infrastructure requirements by considering the usage pattern also. Its main limitation is that it only discusses infrastructure costs of using public IaaS clouds. Since the selection process requires the analysis of various parameters and factors, this is a problem of Multiple Criteria Decision Making (MCDM). Different MCDM methods are present, such as Analytic Hierarchy Process (AHP), Analytic Network Process, fuzzy AHP etc.

The Cloud Service Measurement Initiative Consortium proposed a framework called SMI Cloud [6], which analyses the most important Quality of Service (QoS) attributes for the selection of cloud services. It does service selection using AHP. Cloud Genius [7], based on $((mc^2))^2$ framework [8], is another approach for cloud service selection, which also uses AHP as the decision making method. It focuses on virtual machine image selection and cloud infrastructure service selection and finally the most suitable combination of them are provided. Based on $((mc^2))^2$ framework, CloudGenius describes a formal model to define requirements, alternatives and scenarios which are then analyzed by Analytic Hierarchy Process. Both Cloud Genius and SMI Cloud does not support analysis based on service cost and usage pattern.

Another systematic comparator of the performance and cost of cloud providers' is Cloud CMP [9]. It focuses on

the comparison of three main cloud services: elastic computing, networking services and persistent storage. Based on these services, Cloud CMP performs a comprehensive measurement study over four popular cloud providers, namely, Amazon Web Services, Google App Engine, Microsoft Azure, and Rack space Cloud Service.

A Migration Decision Support System [10] was proposed which include selection of cloud services based on cost minimization. It considers functional requirements and usage pattern of the application along with the cost of services for cloud provider selection. It uses AHP as the ranking method but the problem is that it never considers the QoS attributes of cloud services during the selection. There is an amount of work on selection of Cloud services, but each one of them lacks any one of the important criteria for cloud service selection.

III. QUALITY MODEL BASED DECISION SUPPORT SYSTEM

A. Overview

In this work, we propose a quality model based decision support system, which select a cloud service provider by considering all the quantitative and qualitative requirements. Qualitative requirements are analysed based on SLAs, SLA fulfilment history and user feedbacks. Cost minimization and usage pattern are also taken into account during the decision making process.




Figure 1: Overview of QMDSS

The proposed system has the following abilities:

1. Ability to match functional requirements of an application with available cloud service provider offerings and calculate the cost for each cloud provider's offerings.
2. Ability to evaluate the qualitative requirements of cloud user during cloud service provider selection.
3. Ability to select cloud provider based on Service Level Agreement (SLA) analysis and user feedback analysis.
4. Ability to support variable requirements of users by analyzing the usage patterns.

5. Ability to rank the selected cloud service providers based on minimum cost.

6. Existence of knowledge base, which contain cloud service providers' offerings, pricing models and SLAs.

Figure 1 shows the architecture for Quality Model Based Decision support System that addresses the above requirements. The three tiered architecture model includes:

1. User interface as the front end of the system.
 2. Migration framework and service selector for implementing the main functions of the system: identifying the cloud providers, which satisfy all the functional requirements, quality criteria and usage pattern along with minimum cost.
 3. A knowledge base which stores information about cloud offerings, pricing policies and Service Level Agreements.
- Architectural components of the system are discussed in detail as follows.

A. User Interface

The user interface allows the users to provide their requirements and usage pattern and to view the selected services along with their service cost. Functional requirements can be bandwidth, number of cores, operating system, speed, memory etc. Qualitative requirements can be response time, availability, service sustainability, suitability etc. So the input parameters can either numerical (memory, bandwidth etc.) or non-numerical (name of operating system).

Usage pattern helps to specify the needs of application in future. For example, consider an application which helps the users to book the rooms in popular hotels in tourist places. The application may be used by a large number of customers in holidays. If the application depends on a cloud, it may require additional resources in holidays in order to meet the traffic, such as 10GB increase in storage for the next 2 months. Usage pattern helps to demand such needs earlier.

B. Knowledge Base

Knowledge base is one of the important parts of decision support system. It stores the details of services provided by the cloud service providers, together with the service cost. It also stores the user feedback details about each of the cloud services. Service Level Agreement details are the basis for quality of service analysis. The important details about the selected qualitative attributes are extracted from SLAs. Migration framework receives the details of cloud service offerings from knowledge base for the selection of appropriate cloud provider offering. Cost calculator component takes pricing information from knowledge base for cost calculation of selected services.

C. Migration Framework

Migration framework includes requirements comparator and service analyser. Requirements comparator has two sub components – one for the analysis of quantitative parameters and another for the analysis of qualitative parameters. Since the selection of cloud provider is based

on different criteria, this is a multiple criteria decision making (MCDM) problem. For the selection and ranking of cloud services based on quantitative or functional parameters Analytic Hierarchy Process (AHP) can be used. It is a structured technique for making complex decisions. AHP decomposes the problem into different sub problems, find solutions for each of these sub- problems and finally merge the results to find the ultimate solution. Figure 2 shows how we utilize AHP for the decision making process in this work. Here the goal is to choose the cloud and to find a solution we have to consider different functional requirements such as memory, storage, bandwidth etc. So each of these requirements are considered as different sub problems. For each sub problem different alternatives or solutions are present such as Amazon web services, Google App Engine, Windows Azure etc. From these alternatives, through AHP, the best solution can be determined.




Figure 2: Application of AHP for the selection of functional requirements

For the selection and ranking of cloud services based on qualitative parameters Fuzzy Analytic Hierarchy Process (FAHP) can be used. The main problem associated with AHP is that, it is unable to handle the uncertainties. In addition to this, AHP requires exact values for decision making, which is difficult in case of qualitative parameter analysis. Fuzzy analytic hierarchy process finds the results for each of the sub problems based on a range of values. Figure 3 shows the application of FAHP for the analysis of qualitative requirements. For each quality factor, a range of values are considered and the best solution is selected from the available alternatives.




Figure 3: Application of FAHP for the selection of qualitative requirements

Quality of service analysis can be done by Service analyser which includes SLA analyser, SMI analyser, user feedback analyser, usage pattern analyser and service filter. SLA analyser compares and evaluates the qualitative requirements of the user against the qualitative factors ensured through the SLAs by various cloud service providers. Analysis of considerable number of SLAs of a particular cloud provider gives an overview about their services and quality attributes.

User feedback analyser evaluates the feedback of users about the service quality, which can also be used as a criterion for cloud service selection. Usage pattern analyser compares the pattern of usage of cloud customer against the usage pattern options provided by the cloud service providers. Cloud Service Measurement Initiative Consortium (CSMIC) proposed Service Measurement Index (SMI), which is a benchmarking for Cloud service quality. Here Service Measurement Index is calculated by Service Measurement Index Analyser (SMI analyser) based on selected qualitative parameters such as response time, service sustainability, availability etc. SMI is calculated for each cloud service provider and it stands as an indication for cloud service quality. Results from requirements comparator, SLA analyser, SMI analyser, user feedback analyser and usage pattern analyser can be used by the service filter component for the selection of cloud service provider. The migration framework returns the selected services to the service ranker component.

D. Service Ranker

Service ranker receives the selected services from migration framework and for each selected services the cost calculator component calculates the cost. The cost of service is provided by the knowledge base. Ranking system rank the selected cloud services based on minimum cost. Finally the service selector returns the selected services and their cost as the QMDSS decisions.

IV. IMPLEMENTATION

The QMDSS architecture was implemented as a web application. In particular, the Knowledge base was implemented in Microsoft SQL Server 2008 Express. The User Interface was implemented as a collection of ASP.NET web pages, with the Migration Framework and Service Ranker components as the logic behind serving the pages. Microsoft Visual C# classes and SQL queries are used to implement the cloud service selection process. The QMDSS prototype was implemented in Microsoft Visual Studio 2010 based on Microsoft .NET Framework 4.0.

The knowledge base which stores the information about cloud services and their pricing is implemented with a relational database. The information necessary to match the offerings and calculate the cost can be obtained through queries from database.

In migration framework, service comparator compares both functional or quantitative parameters and qualitative parameters. Here we consider bandwidth, memory,

storage, speed, number of cores and operating system as the functional requirements. These requirements are compared and selected by the Analytic Hierarchy Process.

The Qualitative factors considered are response time, service sustainability, suitability, availability, transparency and reliability. Based on these requirements a basic level filtering is done in the service comparator itself.

A. Proposed Quality Attributes

1) Service Response Time: The elapsed time between the end of an inquiry or demand on a service and the beginning of a response is known as the response time.

2) Service sustainability: Sustainable services as components of sustainable strategies and operations basically are offerings that decrease negative environmental impact while providing improved social and environmental benefits to consumers and producers. Here the service sustainability is obtained as a ratio of number of features provided by the service to the number of features required by the customer.

3) Suitability: Suitability of a service indicates the quality of having the properties that are right for a specific user needs. It can be calculated as the ratio of number of non-essential features provided by the service to the number of non-essential features required by the service.

4) Transparency: It is one of the important quality factors of cloud service. It can be evaluated based on the time for which the customer's application is badly affected by any changes in services provided by the cloud.

5) Availability: It indicates the time in which the customer can access the service without any interruption. It can be defined as the ratio of difference of total service time and total time for which service was not available to that of the total service time.

6) Reliability: It mainly depends on three factors – accessibility, continuity and performance. Accessibility means the service should be accessible when the customer desired. Continuity means the customer should obtain uninterrupted service during a given time and condition. Performance can be evaluated by checking whether the service meets customer's expectation or not.

Based on the evaluation of these quality attributes SMI value is calculated for each of the cloud service by the SMI analyser. Details of qualitative attributes are taken from the SLAs for the analysis and are done by SLA analyser. Information about service fulfilment is obtained through the user feedback analysis. Then the service filter component analyses these analysis results to select the best service provider.

V. EVALUATION

For the purpose of evaluation of the proposed system we have done a comparison of our work with the existing frameworks those have the similar goals. We consider SMI Cloud framework, Cloud Genius, Cloud Adoption Toolkit and Migration Decision Support System for comparison.

In the first stage of comparison we focus on the selection of cloud services. In Cloud Genius, the selection of cloud service is mainly based on infrastructure service selection and virtual machine image selection. It does not consider quality of service as the criterion for cloud service selection. For the suitability analysis of cloud service, cloud adoption toolkit was proposed.

It focused only on the analysis but not on the selection of cloud services. Analysis areas of cloud adoption toolkit are restricted to technology suitability analysis, cost modeling, stake holder impact analysis, energy consumption analysis and responsibility modeling. Analysis of quality factors are not done here. SMI Cloud is another framework for the selection of cloud services and is proposed by Cloud Service Measurement Initiative Consortium (CSMIC). The purpose of formation of CSMIC is to ensure the quality of cloud services.

Even though it deal with quality factors properly, it does not consider cost of services, which is one of the major criteria in cloud service selection. Migration Decision Support System (MDSS) is the latest among all of these works. But MDSS concentrates on the selection of cloud based on requirements of application, cost of various services and usage pattern. It does not consider quality of service for selection of cloud services.

By considering quality of service as one of the main criteria we improve MDSS as QMDSS. It differs from all the previous works since it consider the important concerns of cloud service selection- application requirements, cost, quality and usage pattern. An important advantage of QMDSS is that it retrieves results mainly based on user requirements. That is, it considers user requirements for the basic level filtering of services. As a result, the selected list of cloud services never includes any unwanted services. Since the results are sorted based on cost, the users can easily make decisions on selection of services.

IV. CONCLUSION

For the existing applications it is beneficial to move to the cloud to fully utilize its benefits. But for the selection of suitable cloud service a number of parameters are to be considered. In order to analyze these parameters and to make a suitable decision we propose a Quality Model Based Decision Support System. It includes a user friendly interface with migration framework and service ranker as the back - end logic.

Using ASP.NET, Microsoft Visual C# and Microsoft SQL Server a prototype of this approach was implemented as a Web application. It supports the selection of cloud service based on application's functional requirements, qualitative requirements, cost and usage pattern. Security is a major concern in selection of cloud service which is not considered here. In order to improve the system security factors can also be included.

REFERENCES

- [1] PanosLouridas, "Up in the Air: Moving Your Applications to the Cloud", Published by the IEEE Computer Society on IEEE SOFTWARE, 2010.
- [2] V. Andrikopoulos, T. Binz, F. Leymann, and S. Strauch, "How to adapt applications for the cloud environment - challenges and solutions in migrating applications to the cloud," Computing, 2013.
- [3] PooyanJamshidi, Aakash Ahmad and ClausPahl, "Cloud Migration Research: A Systematic Review," IEEE transactions on cloud computing, july-december 2013, pp. 142-157.
- [4] V. Andrikopoulos, S. Strauch, and F. Leymann, "Decision support for application migration to the cloud: Challenges and vision," in Proceedings of the 3rd International Conference on Cloud Computing and Service Science, CLOSER 2013, 8-10 May 2013.
- [5] S. Garg, S. Versteeg, and R. Buyya, "SMIcloud: A framework for comparing and ranking cloud services," in Utility and Cloud Computing (UCC), Fourth IEEE International Conference on. IEEE, 2011.
- [6] Khajeh-Hosseini, I. Sommerville, J. Bogaerts, and P. Teregowda, "Decision support tools for cloud migration in the enterprise," in Cloud Computing (CLOUD), 2011 IEEE International Conference on IEEE, 2011, pp. 541-548.
- [7] M. Menzel and R. Ranjan, "Cloudgenius: decision support for web server cloud migration" in Proceedings of the 21st international conference on World Wide Web. ACM, 2012.
- [8] M. Menzel, M. Schonherr, and S. Tai, "(mc2)2: criteria, requirements and a software prototype for cloud infrastructure decisions," Software: Practice and Experience, 2011.
- [9] Li, X. Yang, S. Kandula, and M. Zhang, "Cloudcmp: comparing public cloud providers," in Proceedings of the 10th annual conference on Internet measurement. ACM, 2010, pp. 1-14.
- [10] Vasilios Andrikopoulos, Zhe Song, Frank Leymann, "Supporting the Migration of Applications to the Cloud through a Decision Support System", IEEE sixth international conference on cloud computing year 2013.