



# Home Energy Management by using Hybrid Power

Bhagyashri Baravkar<sup>1</sup>, Komal Bhalerao<sup>2</sup>, Asha Bharti<sup>3</sup>, Sarika Patil<sup>4</sup>

Student, E&TC Engineering, Nutan Maharashtra Inst of Engg & Technology, Talegaon Dabhade, Pune, India<sup>1,2,3</sup>

Professor, E&TC Engineering, Nutan Maharashtra Inst of Engg & Technology, Talegaon Dabhade, Pune, India<sup>4</sup>

**Abstract:** A smart house, may be a home that includes advanced automation systems to supply the inhabitants with refined observation and management over the building's functions. star and wind energy and hybrid electrical vehicles (HEVs) usually utilized in smart homes. Renewable power sources like alternative energy and wind energy have become progressively vital due to the restricted fossil fuels resources and their negative environmental impact, on the opposite hand HEVs have become promising alternatives to be remedy for urban pollution, greenhouse gases and depletion of the finite fuel resources as they use centrally generated electricity as an influence supply. In smart homes, the vital factor is energy management between input sources, therefore this paper proposes to increase the battery life and keep system parts hazard-free, it includes actual battery - level sensing, charging -current dominant by microcontroller unit (MCU) and a additive DC/AC (MPPT) most wall plug following. A controller that monitors the operation of the autonomous/grid- joined system is intended. Such a controller determines the energy out there from every of the system parts and therefore the environmental credit of the system. The aim of the EMS is delivered a sleek line voltage to the facility grid.

**Keywords:** Provenance Model, Security, Sensor Networks, Bloom Filter Packet generation, Fault location.

## I. INTRODUCTION

Use of Renewable Energy power sources is that the absolute best resolution nowadays to cut back progressively risk of worldwide warming and also the most significant style of renewable is Wind and star energies that ar the foremost economical. The inexperienced power generation resources are used power generators in Distributed Generation (dgs) sources that ar in direct relation with the utilization of small capability power generating units of facility that ar put in in distribution level of power systems or all segments that masses and energy customers are situated. Hybrid systems vary in models. The simplest hybrid model offered nowadays is combination of grid connected star PV cells that may compensate one another within the grid connected state. Additionally, star cells offer electricity needed in day-time whereas wind turbines compensate the facility required within the night amount. Star cells ar consisted of a series of assembly of various cells along to create a flat electrical phenomenon system to soak up the photons and generate electricity by electrons energized within the circuit.

## II. MOTIVATION

Renewable energy sources were found to be promising energy sources for building a property and setting friendly energy economy within the next decade. Among these renewable energy sources, the alternative energy and therefore the wind energy ar thought-about 2 of the foremost promising renewable power generation technologies [1], on the opposite hand, distributed generations (dgs) like wind turbines (wts), electrical phenomenon (PV) cells and fuel cells (fcs), good homes ar expected to play necessary role to satisfy the longer term energy demand and these ar one among the foremost important parts of the rising good homes paradigm [2]. Hybrid electrical vehicles (hevs), (using batteries, super capacitors (scs)), ar expected to represent one.7% to 3.5% by 2025. Victimisation these vehicles for good homes, they can quickly power the ménage, e.g., throughout demand peaks once power could become costlier and therefore the energy storages will give a district of the whole demand, or throughout outages by powering the complete ménage till the battery reaches its lower state of charge (SOC) threshold [3]. Power sharing and crossbreeding of PV, WT, battery and SC from literature reviews [4-8] show that management methods play an important role in rising system performance and potency. During this context, there ar some studies associated with energy management of hybrid power systems [6]. Among them, in [7] a completely unique energy management system (EMS) planned, that treated a hybrid PV, WT associated FC installation containing an SC bank. Ahmed et al. [8] planned power management strategy to check the ability fluctuations on a hybrid EMS installation. Paper [9] planned associate EMS for chemical element production performance and system potency. Paper [10] planned the management and charge management strategy of a PV with plug-in HEV as energy storage accommodates battery and SC. Paper [11] conferred a main

circuit structure that connects the SC and battery to convertor} through the Buck/Boost bidirectional converter. Paper [12], planned a standard construction device (MMC) for the EMS that mixes battery and SC; this configuration will alleviate the high power burden on the battery, extend the battery period of time, and scale back the dimensions and power loss of the battery. With the rising implementation of hybrid energy network with each renewable alternative energy and non-renewable electricity, there's a necessity to develop the EMS algorithmic rule to enhance energy unitization rate, thus paper [13] planned a multi provider and multi client downside formulation with an answer by minority game based mostly cyber-physical controller. Paper [14] planned the modelling and management of warmth and electricity flows in a very good house with a star heating, PV panels, and lead-acid batteries for energy storage.

**III.LITERATURE REVIEW**

**1. Intelligent solar hybrid power:**

This paper demonstrates the implementation of a epitome of IPS (instant power supply) system to make sure continuous output current to load in residential application utilizing each electrical phenomenon (PV) energy and AC Grid. Utility interfacing PWM electrical converter designed here to work by each alternative energy and storage batteries that extremely satisfies the requirement in rural areas wherever National Grids are hardly offered and power cut downside reduces the effectiveness of IPS. Alternative energy gets priority here to charge voltaic battery instead of AC supply that will save many megawatts power a day. To increase the battery lifespan and keep system elements hazard-free, it includes precise battery-level sensing, charging-current dominant by microcontroller unit (MCU) and a additive DC/AC MPPT (Maximum outlet Tracking) charging to congregate most PV energy from AC star Modules. Investigation on improvement of power-interfacing management and improvement of overall system operation assent to intend usage recommendation during this exposition. Laptop simulations and experiment results show the validity of this planned system to possess high power conversion potency and low harmonic distortions.

**2. Hybrid wind solar power system:**

The aim of this paper is to supply the core of a CAN/CAA tool that may facilitate styleers detuning the best design of a hybrid wind-solar facility for either autonomous or grid-linked applications. The projected analysis employs applied mathematics techniques to reduce the common cost of electricity whereas meeting the load necessities during a reliable manner, and takes environmental factors into thought each within the style and operation phases. Whereas in autoionious systems, the environmental credit gained as compared to diesel alternatives are often obtained through direct optimisation, in grid-linked systems is another variable to be decreased specified the utilization of renewable energy are often even.

**3. Fuel cell based hybrid power generation:**

The technology utilized in this paper is fuel primarily based. This method isn't totally supported renewable sources.

Sr. No	Parameters	Intelligent solar hybrid power	Hybrid wind solar power system	Fuel cell based hybrid power generation
1	Name of author	Masudul H. Intiaz	Riad Chedid	U. R. Prasanna
2	Technology used	PV Energy	Wind & PV energy	Solid oxide fuel cells
3	Specification	Power- 100watt Current- 6amp. Voltage- 16.5V	Power-400watt Current-6amp Voltage-18V	Power-500watt Current-13.3amp Voltage-27V
4	Advantages	Easy installation Overcharge/overload protection.	Autonomous system Excess energy storing battery	Continuous supply of energy
5	Disadvantages	Low solar radiation. Dust collection.	Complexed circuitry. Overvoltage may damage circuit.	Use of fuel.

Table No3.1: Literature survey



This paper determines the employment of combination of renewable sources and fuel cells. The main concern within the style of an electrical installation that utilizes renewable energy sources is that the correct choice of system elements which will economically satisfy the load demand. Whereas in autonomous systems, the environmental credit gained as compared to diesel alternatives are often obtained through direct optimisation.

#### IV. PROPOSED SYSTEM

Gigantic population and comprehensive electricity consumption have created power crisis one in every of the gravest national issues within the developing countries. Excessive demand of power is usually tough to satisfy and as a result economy is being hampered severely owing to this liberation of electricity. Use of Renewable Energy power sources is that the very best answer these days to scale back more and more risk of world warming and also the most vital variety of renewable is star energies that ar the foremost economical. The utilization of small capability power generating units of facility that ar put in in distribution level of power systems or all segments that masses and energy customers ar situated. Hybrid systems vary in models. The simplest hybrid model out there these days is combination of grid connected star PV cells that may compensate one another within the grid connected state. Additionally, solar cells give electricity needed in day-time.

#### BLOCK DIAGRAM:

The diagram of projected system is as shown in figure 3.1. The solar array is employed to convert the alternative energy into electrical energy by exploitation electrical phenomenon cells. This energy is keep in battery and this keep energy is employed for various applications. The varied operations like charging of battery, use of keep electricity, management of hundreds and switch of grid in controlled by controller.




Fig.3.1 Block diagram of proposed system

#### BLOCK DIAGRAM DISCRPTION:

##### 1. Solar array

A solar array may be a prepacked connected assembly of electrical phenomenon cells. The solar array will be used as a part of a bigger electrical phenomenon system to come up with and provide electricity in business and residential applications.

Solar panels use lightweight energy gauge boson from the sun to come up with electricity through the electrical phenomenon impact.

##### 2. Battery

Energy Storage capability and Autonomy: to store voltage once it's created by the PV array and to produce energy to electrical masses as required or on demand.

Voltage and Current Stabilization: to produce power to electrical masses at stable voltages and currents, by suppressing or smoothing out transients which will occur in PV system.

Supply Surge Currents: to produce surge or high peak operational currents to electrical masses or appliances.

##### 3. Charge Controller

A charge controller limits the speed at that current is additional to or drawn from electrical batteries. It stops overcharging and should prevent against overvoltage, which may scale back battery performance or period of time, and



should cause a security risk. It's going to additionally stop fully debilitating ("deep discharging") A battery, or perform controlled discharges, betting on the battery technology, to shield battery life.

#### 4. Controller

The controller is employed control all the acting actions of unit. It's used for deciding power between the central power and also the generated power and also the alternative operations.

#### 5. Relay, masses and Meter

Relays employed in projected system square measure act as switches like to show on/off the hundreds. The hundreds employed in projected system is nothing however bulb, tube lights, fans or any applications as per the necessity of the user. Meters square measure accustomed show the facility consumption of electricity.

### V. IMPLEMENTATION

#### PROJECT SPECIFICATION:

**Solar charger:** 12v, 10ma

**Voltage required:** 12v

**Current required:** 750ma

**Battery:** 12V, 7Ah

#### A. HARDWARE SPECIFICATION:

**Controller:** PIC 18F4550

**Program memory:** 32kb

**Package used:** 40 pins DIP

**Operating Frequency:** 12mhz

#### B. SOFTWARE SPECIFICATION

**Software Tool Used:** - MPLAB IDE 8.91

**Environment:** - Window 10 (32 bit)

**Processor:** - Core i5

**RAM:** - 4 GB




Fig.3 Flow Of System



Software used in this system is MPLAB IDE 8.91. Following are the algorithm & flowchart of project.

**Algorithm:**

1. Start
2. Charge battery through solar panel and use supply from MSEB
3. Use supply for all loads
4. Keep battery back up at least 10%
5. Check whether battery is present or not
6. If yes then use battery power and if not then use main power supply
7. Stop

**VI. DESIGN AND SELECTION OF COMPONENT**

**INPUT SECTION**

1.	Solar panel	Photovoltaic BLD240-60P	Thermal SW 250 mono / Version 2.0
	Specifications	<b>1. Maximum power: 240Wp</b> <b>2. Max. Power Voltage (V<sub>mp</sub>): 30.18 V</b> <b>3. Max. Power Current : 7.96 A</b> <b>4. Dimensions: 1650x992x50mm</b> <b>5. Weight: 19.3 kg</b>	<b>1. Maximum power: 183.3Wp</b> <b>2. Max. Power Voltage (V<sub>mp</sub>): 28.5V</b> <b>3. Max. Power Current: 6.44A</b> <b>4. Cell dimensions: 6.14 in x 6.14 in (156 mm x 156 mm)</b> <b>5. Weight: 21.2 kg</b>
2.	Battery	Lithium-ion	Zinc Carbon
	Specifications	<b>1. charge/discharge efficiency: 80-90%</b> <b>2. cycle durability: 400-1200 cycle</b> <b>Energy Density: 0.90-2.43MJ</b>	<b>1. chargeable: No</b> <b>2. cycle durability: 200-800 cycle</b> <b>Energy Density: 0.57-1.72MJ</b>

**MAIN SECTION**

1	Micro controller	PIC 18F4520	ARM-LPC 2148	89c51
	Specifications	<b>1. Program Memory: 32Kb</b> <b>2. Flash Memory: 16 K byte</b> <b>3. Package: 40-pin DIP</b> <b>4. Operating Frequency: 12MHz</b> <b>5. Cost: Medium</b>	<b>1. Program Memory: 64Kb</b> <b>2. Flash Memory: 512Kb</b> <b>2. Package: 64-pin Quad</b> <b>3. Operating Frequency: 12MHz</b> <b>4. Cost: High</b>	<b>1. Program Memory: 4Kb</b> <b>2. Flash Memory: 4K byte</b> <b>2. Package: 40-pin DIP</b> <b>3. Operating Frequency: 11.0592MHz</b> <b>4. Cost: Low</b>

**OUTPUT SECTION:**

1.	LCD	DMC-16202	DMC-16433	DMC-20434
	Specifications	<b>1. Display format characters * line: 16*2</b> <b>2. character format Horizontal * vertical: 5*8</b> <b>3. duty: 1/16</b> <b>4. View Area: 64.5*13.8</b> <b>5. Character Size: 2.95*4.35</b>	<b>1. Display format characters * line: 16*4</b> <b>2. character format Horizontal * vertical: 5*8</b> <b>3. duty: 1/16</b> <b>4. View Area: 61.8*25.2</b> <b>5. Character Size: 2.95*4.75</b>	<b>1. Display format characters * line: 20*4</b> <b>2. character format Horizontal * vertical: 5*8</b> <b>3. duty: 1/16</b> <b>4. View Area: 76.0*25.2</b> <b>5. Character Size: 2.95*4.75</b>



**POWER SUPPLY DESIGN:**




Fig 4.5.1: Circuit Diagram of Power Supply (i)

The +5 V power offer relies on the industrial 7805 transformer IC. This IC contains all the electronic equipment required to just accept any input potential unitage from eight to eighteen volts and turn out a gradual +5 volt output, correct to at intervals 5-hitter (0.25 volt). It conjointly contains current-limiting electronic equipment and thermal overload protection, so the IC will not be broken just in case of excessive load current; it'll scale back its output voltage instead.

The advantage of a bridge rectifier is you don't would like a middle faucet on the secondary of the electrical device. An additional however vital advantage is that the ripple frequency at the output is double the road frequency (i.e. 50Hz) and makes filtering somewhat easier.

The use of capacitance c1, c2, c3 and c4 is to form signal ripple free. The 2 capacitance used before the regulator is to form ac signal ripple free so later that we have a tendency to square measure mistreatment is for safety, if just in case there's a ripple left once regulation, then c3 and c4 can take away it.

We need +5V o/p.

The drop-out voltage of regulator is 2V (As per Datasheet).

$$V_{DC} = 5 + 2 = 7V$$

So at the regulator input minimum 7V ought to be applied.




Fig 4.5.2: Regulator IC

According to formula,

$$V_{DC} = 2V_m / \pi$$

Assuming there is no Ripple Capacitor

From

$$V_m = V_{DC} \cdot \pi / 2$$

$$= 7 \times 3.14 / 2$$

$$= 10.99V$$

$$V_m = 10.99V$$

During one cycle, two diode are conducting.

Drop of voltage of one diode = 0.7V

Drop of voltage of two diode = 1.4V

$$V_{im} = V_m + 1.4V$$

$$V_{im} = 10.99 + 1.4 = 12.39V$$

$$V_{rms} = V_{im} / \sqrt{2}$$

$$= 12.39 / \sqrt{2}$$

$$= 8.76V$$

$$V_{im} = 12.39V$$

$$V_{rms} = 8.76V$$

So we select transformer of 9V

Similarly  $I_m = I_{dc} \times \pi / 2$ .

$$I_m = 400m \times 3.14 / 2$$

$$= 628ma$$

$$I_{rms} = I_m / \text{Sqrt}(2)$$

$$= 628m / \text{Sqrt}(2)$$

$$= 444.06 \text{ ma}$$

$$I_{rms} = 444.06m$$

So we select transformer with current rating of 500ma.

Considering voltage and current transformer

We take **0-9V / 500mamp**

**Transformer - 0-9V / 500ma Step**

**Down transformer**

$$\text{PIV of diode} = V_m = 12.39 \text{ V}$$

$$I_m = 628 \text{ mamp}$$

So we select bridge IC of 1 Ampere rating.

## Filter Capacitor Design




Fig 4.5.3: Filter Output

$$R = V_{DC} / I_{dc}$$

$$= 7 / 400m$$

$$= 17.5 \text{ Ohms}$$

$$V_r = 2 (V_{im} - V_{DC})$$

$$= 2(12.39 - 7)$$

$$= 10.78V$$

$$C = V_{DC} / (f \times r \times v_r)$$

$$= 7 / (100 \times 17.5 \times 10.78)$$

$$= 371.05 \mu f$$

So for safe working we select capacitor of 1000uf

**C1** - 1000uf/35V - Electrolytic Capacitor

**C2, C4** - 0.1uf Ceramic Capacitor

**C3** - 220uf/25V Electrolytic Capacitor




Fig 4.5.4: 5V Power Supply Circuit using 7805 Voltage Regulator

The power supply section is that the necessary one. It ought to deliver constant output regulated power offer for triple-crown operating of the project. A 0-12V/500 ma transformer is employed for this purpose. The first of this electrical device is connected in to main offer through on/off switch & fuse for shielding from overload and contact protection. The secondary is connected to the diodes to convert 12V AC to 12V DC voltage. And filtered by the capacitors, that is more regulated to +5v, by victimization IC 7805.



**CAPACITOR SELECTION:****Reduce Input Ripple Voltage:**

The first objective in choosing input capacitors is to scale back the ripple voltage amplitude seen at the input of the module. This reduces the rms ripple current to A level which may be handled by bulk capacitors. Ceramic capacitors placed right at the input of the regulator scale back ripple voltage amplitude. Solely ceramics have the very low ESR that's required to scale back the ripple voltage amplitude. These capacitors should be placed near the regulator input pins to be effective. Even a number of nanohenries of stray inductance within the electrical device current path raise the resistivity at the change frequency to levels that negate their effectiveness.

**Diode Selection:**

1N4007

**Features:**

- Low forward dip
- High surge current capability

**DC motor:**

A generator consists of a stationary portion referred to as the mechanical device and also the rotating portion referred to as the rotor. A flux is created once an on the spot current is applied to windings of the coil within the mechanical device. These coils square measure referred to as field windings. The rotor contains the electrical switch and also the conductors across that electrical phenomenon (electromagnetic field) is iatrogenic. This part is named coil.

**Advantages of DC motor:**

- Ease of management
- Deliver high beginning torsion
- Near-linear performance

**LCD:**

LCD is employed during a project to envision the output of the applying. We've used 16x2 alphanumeric display that indicates 16 columns and a couple of rows. So, we are able to write sixteen characters in every line. So, total thirty two characters we are able to show on 16x2 digital display.

LCD can even use during a project to see the output of various modules interfaced with the microcontroller. So digital display plays a significant role during a project to envision the output and to rectify the system module wise just in case of system failure so as to rectify the problem.



Fig 4.5.5: LCD Display

**VII. CONCLUSION**

The mechanism that we have a tendency to victimization doesn't given excepted potency. This efficiency are often raised by victimization another mechanism like wind-solar technology. Through the wind-solar technology the charging time of battery are often scale back and also the additional electricity are often generated and thus the upper potency are often achieved. This may cause the most use of power by renewable sources

**ACKNOWLEDGMENT**

The heading of the Acknowledgment section and also the References section should not be numbered. It offers us nice pleasure in presenting the preliminary project report on 'HOME ENERGY MANAGEMENT USING HYBRID POWER'. I might wish to take this chance to impart my internal guide for giving me all the assistance and steering I required. I'm very grateful to them for his or her kind support. Their valuable suggestions were very useful. I am additionally grateful to Head of Electronics and Telecommunication Department, NMIET for his indispensable support, suggestions. In the finish our special due to different Person Name for providing numerous resources like laboratory with all required software system platforms, continuous internet association, for Our Project.





## REFERENCES

- [1] Masudul Haider Intiaz, "International Journal of Engineering Science and Technology" Vol. 2(12), 2010, 7524-7530
- [2] Riad Chedid, Member IEEE Department of Electrical & Computer Engineering American University of Beirut, 850 Third Avenue, New York N.Y. 10022, USA
- [3] Mr.U. R. Prasanna, "Fuel cell based hybrid power generation", International Journal of Advanced Research in Electrical, Electronics And Instrumentation Engineering, Vol.3, Issue 4, April 2013.
- [4] O. C. Onar, M. Uzunoglu and M. S. Alam, "Dynamic modeling, design and simulation of a wind/fuel cell/ultra-capacitor-based hybrid power generation system", Journal of Power Sources, vol. 161, no. 1, pp. 707-22, 2006.
- [5] O. Ustun, M. Yilmaz, C. Gockce, U. Karakaya and R. N. Tuncay, "Energy Management Method for Solar Race Car Design and Application", IEEE Int Electric Mach Drives Conf. Pp. 804-811, 2009.
- [6] E. Dursun and O. Kilic, "Comparative evaluation of different power management strategies of a standalone PV/wind/PEMFC hybrid power system", Electr. Power Energy Syst., vol. 34, no. 1, pp. 81-89, 2012.
- [7] O. C. Onar, M. Uzunoglu and M. S. Alam, "Modelling, control and simulation of an autonomous wind turbine/photovoltaic/fuel cell/ultracapacitor hybrid power system", J. Power Sources, vol. 185, no. 2, pp. 1273-1283, 2008.
- [8] N. A. Ahmed, M. Miyatake and A. K. Al-Othman, "Power fluctuations suppression of stand-alone hybrid generation combining solar photovoltaic/wind turbine and fuel cell systems", Energy Convers. Manage., vol. 49, no. 10, pp. 2711-2719, 2008.
- [9] D. Ipsakis, S. Voutetakis, P. Seferlis, F. Stergiopoulos and C. Elmasides, "Power management strategies for a standalone power system using renewable energy sources and hydrogen storage", Int. J. Hydrog. Energy, vol. 34, no. 16, pp. 7081-7095, 2009.
- [10] Y. Zhang, M. E. Haque and M. A. Mahmud, "Control and Charge Management of a Grid- Connected Photovoltaic System with Plug-in Hybrid Vehicle as Energy Storage", IEEE conference on Power & Energy Society General Meeting, pp. 1-5, 2015.
- [11] J. Jun, Y. Guang, J. Miao-miao, C. Yi, Z. Hai and Z. Ke, "Study of Bidirectional DC-DC Converter of Micro-grid Hybrid Energy Storage System", IEEE 10th Conference on Industrial Electronics and Applications (ICIEA), pp. 1166 -1169, 2015.
- [12] F. Guo, Y. Ye, and R. Sharma, "A Modular Multilevel Converter Based Battery-ultracapacitor Hybrid Energy Storage System for Photovoltaic Applications", Power Systems Conference (PSC), pp. 1-6, 2015.
- [13] W. Wu, M. Aziz, H. Huang, H. Yu and H. Gooi, "A Real-time Cyberphysical Energy Management System for Smart Houses", IEEE conference on Innovative Smart Grid Technologies Asia (ISGT), pp. 1-8, 2011.
- [14] A. Khakimova and et al. "Hybrid Model Predictive Control for Optimal Energy Management of a Smart House", IEEE 15th International Conference on Environment and Electrical Engineering (E3E), pp. 513-518, 2015.