



USING BLOCKCHAIN TECHNOLOGY FOR TRACKING ORGAN TRANSFERS AND DONATION PROCEDURES

Prem Kumar K¹, Prof. Sandarsh Gowda M M²

MCA Graduate (2nd Year), Dept. of MCA, Bangalore Institute of Technology, Bangalore, India¹

Guide, Asst. Prof / Dept. of MCA, Bangalore Institute of Technology, Bangalore, India²

Abstract: Organ donation and transplantation systems now face a variety of requirements and obstacles in terms of registration, donor-recipient matching, organ removal, organ delivery, and transplantation, all of which are hampered by legal, clinical, ethical, and technical restrictions. As a result, a comprehensive organ donation and transplantation system is essential to provide a fair and efficient procedure that improves patient experience and confidence.

In this work, we present a private Ethereum blockchain-based system for managing organ donation and transplantation in a completely decentralised, secure, traceable, auditable, private, and trustworthy manner. We create smart contracts and offer six algorithms, along with information on their implementation, testing, and validation. We assess the performance of the suggested solution by conducting privacy, security, and confidentiality assessments and comparing it to current solutions.

Keywords: Privacy, organ donation, transplantation, blockchain.

I. INTRODUCTION

An injury or disease causes organ failure or damage. It reduces one's quality of life and, in rare situations, causes death. Donating an organ is one of humanity's most noble acts in order to save patients' lives through organ transplantation. For a successful transplant, the organ must be in good operating order, with donor-recipient matching, and its removal must not endanger the donor's life.

In 1954, a kidney transplant between twin brothers was the first successful organ donation. The yearly number of transplants has continuously climbed since then. However, the demand for organ donations continues to outnumber the number of donors. In reality, twenty individuals die every day while waiting for an organ transplant, and a new patient is born every day.

More crucially, being able to access the organ donor waiting list is a fundamental prerequisite for organ allocation. Geographic and socioeconomic considerations can also influence transplant referral. As a result, the waiting list allocation method should not discriminate against certain categories of patients.

Organ donation can take place in two ways: dead donation and live donation. Figure 1 depicts a typical flow chart for donating and transplanting an organ to a patient. First, the hospital transplant staff examines the donor, and if the donor is deceased, a brain death test is conducted. Meanwhile, if the donor is still alive, physicians evaluate him or her to determine that the donor is healthy enough to donate blood.

The procurement organiser is then notified of all medical records. The procurement organiser is in charge of assessing the donor's health to determine whether he is a suitable donor and ensuring that the donor is appropriately recorded in the medical system. The procurement organiser then provides all of the data to the organ transplantation organiser if the evaluation confirms that the donor is qualified for donation. This stage may only be completed if the donor agrees to donate to an anonymous person. The organ transplantation organiser then performs the matching procedure between available donors and patients on the waiting list. As a consequence, the transplanting surgeons are given a ranked list as an output.




Fig. 1. Proposed Architecture

II. LITERATURE REVIEW

According to L A Dajim proposed that [1] The suggested system is a blockchain-based decentralised software for organ donation. It would be an online application that would allow patients to register their information, including their medical ID, blood type, organ type, and state. Unless a patient is in severe condition, the system would operate on a first-in, first-out basis.

A Powell [2] suggested that Organ donation and transplantation systems have unique needs and obstacles in terms of registration, donor-recipient matching, organ removal, organ delivery, and transplantation, all of which are hampered by legal, clinical, ethical, and technical restrictions. To improve patient experience and confidence, end-to-end organ donation and transplantation platforms are essential to ensure a fair and efficient procedure. We offer a private Ethereum blockchain-based system for managing organ donation and transplantation in a completely decentralised, secure, traceable, auditable, private, and trustworthy manner. We create smart contracts and three web-based modules for detail validation.

We assess the performance of the suggested solution by conducting privacy, security, and confidentiality assessments and comparing it to the present system.

Organ donation,[3] transplantation, Blockchain, Ethereum, and Decentralised are some of the terms used.

The procedure of physically taking an organ or tissue from one person (the organ donor) and implanting it into another person (the recipient) is known as organ donation. Transplantation is required when the recipient's organ fails or is damaged due to illness or accident.

One of the most significant advancements in contemporary medicine is organ transplantation. Unfortunately, the demand for organ donors outnumbers the number of persons who give. Every day, 21 individuals in the United States die while waiting for an organ transplant, and over 107,380 men, women, and children await life-saving organ transplants.

Previous System:

The authors of created a multi-agent software platform to reflect the information pipeline model shared between donor hospitals, regulators, and recipients. This platform optimises pre-transplantation tasks, potentially increasing process



efficiency. Furthermore, it enables the storage of possible donor information and enhances direct contact between all parties in the organ donation process. The built platform was used to mimic an information workflow, and the saved time was estimated to be between three and five hours.

The TransNet in is a system that uses barcode scanning technology at the moment of organ recovery to help label, package, and monitor organs and other biological commodities for transplantation. It entails augmenting the labelling system with a DonorNet-compatible programme and a portable barcode printer. During organ recovery, procurement coordinators will print labels and scan all organs to be delivered using the operating room's system. Similarly, several supply chain management solutions have relied on barcodes, RFID tags, and Electronic Product Codes (EPC) to identify and share product information, allowing things to be tracked through multiple stages.

Related Work:

The system provides a private Ethereum blockchain-based solution for managing organ donation and transplantation in a decentralised, secure, reliable, traceable, auditable, and trustworthy manner.

□ The system creates smart contracts that register actors and assure data provenance by establishing events for all of the actions required during the organ donation and transplantation stages. The code for smart contracts is freely available on Github.¹ Based on particular parameters, the system creates an auto-matching process between the donor and the beneficiary via a smart contract. Six algorithms are presented, together with detailed implementation, testing, and validation information.

The system does a security analysis to ensure that the suggested solution is safe from common security threats and weaknesses. To demonstrate the originality of our solution, we compare it to current solutions. Our suggested solution is generic and may be simply tailored to fit the requirements of a wide range of related applications.

The system is developed an organ donation based on blockchain technology, which is more rapid and safe. The system is implemented an automatic procedure of human organ donation in the suggested system.

Module Description

1) Donors:

The Donor will register and login in this module, then submit their organ donor data to the hospital and do the following operations: View Profile, Send Organ Donating Details, View Organ Donated Details Status.

2) Patients:

Patients connect in to this module using their user name and password. After logging in, the user will do certain actions such as My Profile, Register for an Organ Transplant and View All Organ Transplant Details.

3) Hospital:

The Hospital monitors hospital data in order to enable organ storage for donation and transplantation, as well as the following operations: View and Authorise all Patients View and Authorise all Donors Include Organ Type, View All Organ Names Blockchain Hash Codes View All Organ Donation Details, View All Patient Transplantation Requested Details, View All Organ Donation Details Using Blockchain View All Blockchain Organ Transplantation Details, View All Organ Donation Results, as well as Organ Transplantation Results.

III. CONCLUSIONS

In this work, we offer a private Ethereum blockchain-based system for managing organ donation and transplantation in a way that is decentralised, responsible, auditable, traceable, secure, and trustworthy. We created smart contracts that automatically record events to assure data provenance. Six algorithms are presented, together with details on their implementation, testing, and validation. We examine the suggested solution's security to ensure that smart contracts are safe from typical attacks and flaws. We compare our solution to other blockchain-based alternatives already on the market. We discuss how our approach may be easily customised to fit the demands of other systems suffering similar issues. In the future, we may improve our solution by creating an end-to-end DApp.

Smart contracts may also be implemented and evaluated on a genuine private Ethereum network. Finally, the Quorum platform can provide greater confidentiality because transactions between entities can only be viewed by specific participants and no one else, whereas in our solution, transactions between two participants can be viewed by other actors authorised in the private blockchain.



REFERENCES

- [1] Bhattacharyya, R., & Basu, S. (2018). India Inc looks to deal with rising stress in employees. Retrieved from 'The Economic Times'
- [2] OSMI Mental Health in Tech Survey Dataset, 2017 from Kaggle
- [3] Van den Broeck, J., Cunningham, S. A., Eeckels, R., & Herbst, K. (2005). Data cleaning: detecting, diagnosing, and editing data abnormalities. *PLoS medicine*, 2(10), e267.
- [4] Shwetha, S, Sahil, A, Anant Kumar J, (2017) Predictive analysis using classification techniques in healthcare domain, *International Journal of Linguistics & Computing Research*, ISSN: 2456-8848, Vol. I, Issue. I, June-2017
- [5] Tomar, D., & Agarwal, S. (2013). A survey on Data Mining approaches for Healthcare. *International Journal of Bio-Science and Bio-Technology*, 5(5), 241-266.
- [6] Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., & Vanderplas, J. (2011). Scikit-learn: Machine learning in Python. *Journal of machine learning research*, 12(Oct), 2825-2830.
- [7] Gender and Stress. (n.d.). Retrieved from APA press release 2010
- [8] Bhattacharyya, R., & Basu, S. (2018). India Inc looks to deal with rising stress in employees. Retrieved from 'The Economic Times'
- [9] OSMI Mental Health in Tech Survey Dataset, 2017 from Kaggle
- [10] Van den Broeck, J., Cunningham, S. A., Eeckels, R., & Herbst, K. (2005). Data cleaning: detecting, diagnosing, and editing data abnormalities. *PLoS medicine*, 2(10), e267.
- [11] Shwetha, S, Sahil, A, Anant Kumar J, (2017) Predictive analysis using classification techniques in healthcare domain, *International Journal of Linguistics & Computing Research*, ISSN: 2456-8848, Vol. I, Issue. I, June-2017
- [12] Tomar, D., & Agarwal, S. (2013). A survey on Data Mining approaches for Healthcare. *International Journal of Bio-Science and Bio-Technology*, 5(5), 241-266.
- [13] Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., & Vanderplas, J. (2011). Scikit-learn: Machine learning in Python. *Journal of machine learning research*, 12(Oct), 2825-2830.
- [14] Gender and Stress. (n.d.). Retrieved from APA press release 2010
- [15] L. A. Dajim, S. A. Al-Farras, B. S. Al-Shahrani, A. A. Al-Zuraib, and R. Merlin Mathew, "Organ donation decentralised application utilising blockchain technology," in *Proc. 2nd Int. Conf. Comput. Appl. Inf.*
- [16] Andrew Powell. (Mar. 18, 2019). A Transplant Changes the Course of History. *The Harvard Gazette*. [Online]. The following link is available: <https://news.harvard.edu/gazette/story/2011/09/atransplant-makes-history/>
- [17] Organ Transplant Facts and Information. Accessed on April 18, 2021. [Online]. The following link is available: <https://my.clevelandclinic.org/health/articles/11750-organ-donation-and-transplantation>
- [18] (Mar. 21, 2019). Transplant Facts and Myths. Accessed on April 21, 2021. Available at: <https://www.americantransplantfoundation.org/about-transplant/facts-and-myths/>.
- [19] Network for Organ Procurement and Transplantation. Accessed on April 18, 2021. [Online]. Available at: <https://optn.transplant.hrsa.gov/resources/ethics/ethical-principles-in-human-organ-allocation/>
- [20] The Donation Process. Accessed on January 7, 2022. [Online], <https://www.organdonor.gov/learn/process>
- [21] UFO Topics. (Aug. 1, 2017). Donation and transplantation of organs in Germany. *Plastic Surgery Is Crucial*. Available at: <https://plasticsurgerykey.com/organ-donation-and-transplantation-in-germany/>.
- [22] HBR stands for Harvard Business Review. (Dec. 13, 2021). Electronic health records have the potential to improve the organ donation process. Date accessed: 8 April 2022. [Online]. Available at: <https://hbr.org/2021/12/electronic-health-records-can-improve-the-process-of-organ-donation>
- [23] U. Jain, "Using blockchain technology for the organ procurement and transplant network," San Jose State University, San Jose, CA, USA, Tech. Rep., 2020, doi:10.31979/etd.g45p-jtuy.
- [24] M. He, A. Corson, J. Russo, and T. Trey, "Use of forensic DNA testing to trace unethical organ procurement and trafficking practises in areas that limit transparent access to transplant data," *SSRN Electron. J.*, 2020, doi: 10.2139/ssrn.3659428.
- [25] This is a livemint. The illegal organ trade thrives in India, and it is not going away anytime soon. Date accessed: December 21, 2021. [Online]. Available: <https://www.livemint.com/Politics/pxj4YasmivrvAhanv6OOCJ/Whyorgan-trafficking-thrives-in-India.html>
- [26] D. P. Nair. (2016). The organ is free, but the transplant is not. [Online]. <http://timesodia.indiatimes.com/lifestyle/health/health-news/Organ-is-free-transplant-cost-is-problem/articleshow/54014378.cms>