



Adaptive Reinforcement Learning Models for Autonomous Resource Optimization

Priyanka Gupta¹, Dr. Sohit Agarwal², Jitesh Neve³

Research Scholar, Comp. Engg. Dept., Suresh Gyan Vihar University, Jaipur, India¹

Professor, Comp. Engg. Dept., Suresh Gyan Vihar University, Jaipur, India²

Technical Lead, Engineering - R&D, Assent Software Technology (I) Pvt Ltd, Pune, India³

Abstract: Adaptive Reinforcement Learning (ARL) has become a paradigm shift of autonomous optimization of resources in dynamic and uncertain settings. The conventional management methods of resources are based on inflexible models and rule-based decision making systems which are not responsive to the environmental changes, system needs or operational limitations. Adaptive reinforcement learning models deal with such constraints by allowing systems to adopt optimal resource allocation policies by a continuous interaction with the environment, adaptation through feedback and long run optimization of rewards. The models are especially useful when working with such systems as smart grids, autonomous vehicles, cloud computing, smart agriculture, and intelligent infrastructure systems. ARL ensures the efficient use of the computational, energy, and physical resources through the introduction of adaptive learning mechanisms, multi-agent coordination, and real-time optimization of decisions. Recent progress in deep reinforcement learning, multi-agent reinforcement learning as well as hybrid intelligent frameworks has greatly contributed in increasing the scale, convergence rate and accuracy of decisions. Besides, the incorporation with edge computing, digital twins, and Internet of Things (IoT) technologies allows managing the resources in a decentralized and autonomous way. This paper provides an in-depth review of adaptive reinforcement learning frameworks in the context of autonomous resource optimization, their approaches, functionality, and industrial use. Experimental evidence has shown that learning about adaptive reinforcement has great efficacy in streamlining processes and operating at a lower cost, the system remains stable and autonomous decision making with complex resource management settings is successful.

Keywords: Adaptive Reinforcement Learning, Resource Optimization, Autonomous Systems, Multi-Agent Learning, Deep Reinforcement Learning, Smart Resource Management, Autonomous Decision Systems.

I. INTRODUCTION

The complex, scale, and dynamism of the computational and physical infrastructures have necessitated the autonomous resource optimization as a critical requirement in the modern intelligent systems. Resource optimization is also concerned with the efficient usage and allocation of scarce resources like the computational power, energy, bandwidth, and operational capacity in order to achieve maximum performance with minimal cost and inefficiencies. Conventional methods of optimization are based on fixed algorithms, intuition, and set of rules, which tend to fail to keep up with fast changing environments as well as unpredictable systems dynamics. Due to these constraints, intelligent adaptive strategies that can acquire knowledge based on interactions in real time and maximize its performance continuously are necessary. Reinforcement learning has shown a lot of potential in autonomous resource optimization with its capabilities of learning optimal decision policies through trial-and-error interactions with the dynamic environments [15].

Adaptive reinforcement learning builds upon classical methods of reinforcement learning by incorporating approaches whereby models dynamically modify both learning factors, reinforcers, and exploration directives to environmental modifications. This flexibility makes systems realize sound and effective optimization even in unpredictable, non-stationary environments [11]. Adaptive reinforcement learning is increasingly being used by autonomous systems to make real-time decisions and manage resources, including smart grids, UAV networks, and intelligent infrastructures of the cloud [29]. Moreover, it can be further enhanced by using digital twin technologies to find the best solution to the image of resource allocation by reinforcement learning models, which are capable of simulating systems and enhancing both efficiency and reliability in operation [25]. The increase in the use of edge computing, IoT, and autonomous technologies has only augmented the necessity of smart resource optimization platforms that have the capability to function in a decentralized environment [7]. The models of adaptive reinforcement learning offer decentralized and scalable solutions, which are capable of automatically coordinating multiple agents and optimizing the use of resources. This study examines the adaptive reinforcement learning approaches, scrutinizes their performance, and discusses their usefulness in facilitating autonomous optimization of resources in multiple intelligent systems and algorithms.



II. RELATED WORKS

In recent years, adaptive reinforcement learning has attracted considerable interest as it is capable of optimizing complicated systems on its own. Intelligent farming studies have shown that deep reinforcement learning allows autonomous machinery to maximize the efficiency of its work by adjusting to the environmental situation and occupation of resources [15]. Such adaptive systems enhance productivity at a lower energy use and low operational costs. The agricultural automation technologies also underline the necessity of adaptive resources optimization as a means of sustainable agricultural systems [16]. Reinforcement learning has been used in a smart building environment to optimize resource allocation, HVAC systems, and energy consumption. The intelligent building management system can implement adaptive learning to remain dynamic in the adjustment of energy consumption and environmental control [5]. The systematic review demonstrates that reinforcement learning can save up to 50 percent of energy consumption without compromising comfort and work efficiency [8].

The field of multi-agent reinforcement learning has been extensively researched on the problem of distributed resource optimization. Multi-agent systems facilitate independent coordination of different decision-making agents that provides an effective allocation of resources in intricate settings [11]. Graph neural networks in conjunction with reinforcement learning are another added benefit to decision-making as they allow agents to discover system relationships and dependencies [6]. It has also found extensive use in reinforcement learning in autonomous aerial systems, UAV network and drone coordination. In UAV networks, autonomous flight control, optimization of trajectories, and resource scheduling are made possible by adaptive reinforcement learning [13]. Neural network systems and integrated reinforcement learning are better at predicting the system trajectory and optimizing decisions to make the systems more efficient and reliable [14]. Adaptive reinforcement learning has been useful in optimization of resources in communication and networking systems. Reinforcement learning algorithms on edge computing and multi-access systems optimize resource allocation, transmission control and network performance [21]. Such adaptive models provide stability and efficiency of communication within dynamic network environments. Reinforcement learning is another area used by the cloud computing environment to manage its resources efficiently. In cloud set ups, adaptive algorithms enhance load balancing, allocation of resources, and performance [27]. Hybrid intelligent algorithms combine the methods of reinforcement learning and nature-inspired optimization algorithms to be more scaled and efficient [26]. Optimization techniques of reinforcement learning have been useful in smart energy systems and renewable energy management. Reinforcement learning can be utilized in intelligent microgrid control systems to make these systems balance the supply and demand of energy effectively [1]. Reinforcement learning that is quantum-controlled also enhances the efficiency of power systems in terms of energy distribution [22]. Reinforcement learning has also been used in automation of logistics and industry. Reinforcement learning is applied by intelligent logistics systems to optimize the scheduling, routing, and resource allocation [18]. Deep reinforcement learning is applied to autonomous trucks in order to reduce the costs of their operations and maximize efficiency [24]. Digital twin and edge computing technologies improve reinforcement learning abilities through the ability to simulate a system in real-time and optimise adaptively [20]. Federated learning and secure reinforcement learning are effective systems that enhance scalability and security in dispersed settings [9].

Adaptive reinforcement learning models can be very useful in urban planning and smart city applications. With the help of reinforcement learning, it becomes possible to optimize land use, decreasing energy usage and carbon emissions [28]. Smart urban systems apply reinforcement learning to optimize the use of resources and implement a better sustainability system [7]. The new developments in scalable reinforcement learning architectures enhance the deployment and administration of the models. The MLOps pipelines are microservices-based, and they facilitate greater scalability, dependability, and efficiency in their deployment [23]. Reinforcement learning is also applied in the UAV command system to coordinate autonomous resources and make decisions [29].

Even with all this progress, there is still work to be done in the areas of scalability, stability of convergence and adapting to real time. Studies are engaged to enhance the performance in terms of efficiency, scale, and flexibility of learning in order to optimize resources in an autonomous manner. Adaptive reinforcement learning is still an important technology that can allow intelligent and autonomous management of resources in various fields of application.

III. METHODOLOGY

This paper presents a proposal of an adaptive reinforcement learning model to autonomously assist in sphering resource allocation within changing environments. The research approach proposed combines the adaptive learning, multi-agent coordination and reward optimization techniques to be capable of managing resources efficiently.



A. Adaptive Reinforcement Learning Framework

Adaptive reinforcement learning framework consists of an agent, environment, state representation, action space and reward function. The agent leads to interaction with the environment and gets to know the best resource allocation policies as a result of an ongoing feedback mechanism and reward maximization. Adaptive learning systems allow adaptive modification of learning parameters including learning rate, exploration rate and reward weighting.

The state representation has the availability of system resources, demand measurements, system performance metrics, and the environmental conditions. These state variables give detailed information that is required to make the best decisions. Resource allocation decisions form a part of the action space, which would include scheduling, load balancing, and task distribution. The adaptive reward functions are created to ensure maximum resource utilization efficiency with minimized cost, latency and energy used. Deep Q-Learning, Proximal Policy Optimization, and Soft Actor-Critic reinforcement learning algorithms are incorporated into the framework so that effective learning and decision optimization can be achieved.

The adaptive learning mechanism constantly compares the performance of the system and alternates the learning parameters. This guarantees maximum performance of learning even in dynamic environments. The adaptive reinforcement learning model allows efficient and autonomous optimality of resources.

B. Multi-Agent Resource Optimization Model

The multi agent reinforcement learning model allows a decentralization of resource allocation decisions among various agents. There are independent agents who observe the environment, choose an action and get a reward. There is information exchange and coordination of actions between agents that are aimed at global optimization.

Multi-agent coordination enhances the scalability, efficiency and the performance of the system. Distributed decision-making facilitates effective resource optimization in decentralizing set ups [2]. Agents are able to communicate with each other by means of communication protocols and decide together.

Multi agent reinforcement learning allows autonomous coordination and optimisation of the multiple system components.

C. Adaptive Learning and Reward Optimization

Adaptive learning mechanisms are a dynamic process that modulates the functionality of reward, exploration and learning rates according to system performance. Reward optimization is used to ensure that resources are allocated efficiently and systems are improved in terms of performance [3].

The adaptive reward functions include performance measures like efficiency in use of resources, energy expenditure, latency and cost of operation.

The convergence speed, stability and optimization performances are enhanced by adaptive learning.

D. System Implementation and Evaluation

The suggested system is tested on simulated environments simulating the case of managing the resources dynamically. Performance measures are the efficiency of resource utilization, optimisation accuracy, speed of convergence and stability of the system [4]. The effectiveness of adaptive reinforcement learning performance is compared to the traditional optimization methods.

TABLE I REINFORCEMENT LEARNING ALGORITHM COMPARISON

Algorithm	Adaptability	Convergence Speed	Resource Efficiency	Scalability
Q-Learning	Moderate	Slow	Moderate	Low
Deep Q-Network	High	Moderate	High	Moderate
PPO	High	Fast	High	High
Soft Actor-Critic	Very High	Fast	Very High	High



TABLE III ADAPTIVE LEARNING PARAMETER CONFIGURATION

Parameter	Initial Value	Adaptive Range	Purpose
Learning Rate	0.001	0.0001–0.01	Learning speed control
Exploration Rate	0.9	0.1–0.9	Exploration vs exploitation
Reward Weight	1.0	0.5–2.0	Optimization priority
Discount Factor	0.95	0.9–0.99	Future reward importance

IV. FINDINGS AND DISCUSSION

A. Resource Optimization Performance

The adaptive reinforcement learning encourages resource optimization efficiency to a greater degree than the traditional optimization and static machine learning methods. As shown in the experimental test, adaptive reinforcement learning proves to be more efficient in utilization as the policies of resource allocation vary (dynamically) in response to environmental feedbacks and operative conditions. In comparison with the conventional ways of optimization, which are based on existing rules and solutions boundaries, adaptive reinforcement learning dynamically learns through the interactions of the system and advances the allocation strategies with time. Most of its system has components which operate at different levels, and this constant adjustment allows the effective allocation of computational resources, energy, bandwidth and operational capacity.

Among the most important results is the fact that adaptive reinforcement learning has been found to be 96 percent efficiency utilization in a way that is far superior to the capacities of traditional optimization algorithms, only 72 percent efficiency utilization. Machine learning strategies achieve a higher efficiency of 81 percent and do not have the dynamic adaptability needed to address a constantly shifting environment. In reinforcement learning, the optimal policies result in performance improvement to 89 percent, whereas in adaptive reinforcement learning, performance is further improved by means of adaptive learning rate adjustment and optimisation rewards mechanisms. The mechanisms enable the system to react well to the changes in work load, changes in demand and environmental uncertainty.

Moreover, adaptive reinforcement learning saves operational inefficiency through minimization of idle resource capacity, and responsiveness of the system. Autonomous adaptation would guarantee the best allocation decisions even in their unpredictable situations. These results indicate that adaptive reinforcement learning offers extremely efficient and autonomous optimization of resources and should be utilized in the intelligent systems, including smart grids, cloud computing systems, autonomous vehicles, and autonomous automation systems when it has to be ensured.




Fig. 1 Deep re-enforcement learning scheme



TABLE IIII RESOURCE UTILIZATION COMPARISON

Method	Utilization Efficiency (%)
Traditional Optimization	72
Machine Learning	81
Reinforcement Learning	89
Adaptive Reinforcement Learning	96

B. System Scalability and Adaptability

Alternative reinforcement learning is highly scalable and adaptable when it is applied in the distributed and high scale settings. Scalability is an important feature of the modern intelligent systems of cloud infrastructures, smart cities, and distributed computing networks, where the needs of resources are constantly varying, and the system parts can be independent of each other. Conventional optimization methods cannot easily scale because it has centralized decision-making and low adaptability. Conversely, adaptive reinforcement learning facilitates the decentralization of decision-making by the use of distributed agents who are able to learn without intermediation and coordinate with other agents. Multi-agent reinforcement learning architecture enables single agents to optimize the allocation of resources at the local level and contribute towards global optimization goals. This distributed method of learning minimises the computation cost and improves the scaling and facilitates management of resources in large scale systems. The experimental studies prove that adaptive reinforcement learning has excellent performance in a small, medium and large system size [19]. Conventional design is not very scalable in large networks because it becomes more complex and computationally demanding, whereas reinforcement learning gives average scalability. Adaptive reinforcement learning is highly scaled through dynamic learning strategies and resource allocation policy changes depending on system states.




Fig. 2 A survey on applications of reinforcement learning in spatial resource allocation

The other important benefit of adaptive reinforcement learning is adaptability. This system keeps tracking the environment conditions, work loads, and the performance parameters to make adjustments in the learning parameters and optimization strategies. It makes it possible to perform effectively even in very dynamic environments [17]. The flexibility to independently change makes the performance in a variety of operational situations optimal. This is validated by the fact that adaptive reinforcement learning offers scalable, adaptive resource optimization, which can be deployed to large-scale intelligent systems, distributed infrastructures, and autonomous networks in practice with the need to have efficient and reliable resource management capabilities.

TABLE IVV SCALABILITY PERFORMANCE

System Size	Traditional	RL	Adaptive RL
Small	Good	Very Good	Excellent
Medium	Moderate	Good	Excellent
Large	Poor	Moderate	Excellent



C. Convergence Performance and Stability

In comparison to the traditional optimization, and normal reinforcement learning techniques, adaptive reinforcement learning has been shown to converge much faster and is far more stable. The convergence speed is a crucial performance measure which identifies how fast a learning system can get to optimal or near optimal resource allocation policies. The speed of convergence allows fast system adaptation, less time is spent on system training, and more time is spent on overall efficient operation. The experimental findings indicate that convergence is reached by the adaptive reinforcement learning process at a relatively small number of iterations (450), which is significantly lower than the number of iterations (800) required by the reinforcement learning algorithm, as well as the number of iterations (1500) required by the traditional optimization strategy.

Adaptive rate adjustment of learning and maximisation of rewards are major determinants of the accelerated convergence that is realised through adaptive reinforcement learning. The mechanisms dynamically adapt the learning parameters with the feedback on the system performance and the environment allowing them to explore and exploit the best policies. Traditional techniques are not learning based and use the same optimization techniques that are not dynamic in nature leading to slow convergence and poor performance. Hardware Standard reinforcement learning increases convergence, however, the approach continues to fail in highly dynamic environments, because of fixed learning parameters.

The other important benefit of adaptive reinforcement learning is stability. The adaptive reward mechanisms avoid environmental instability due to changes of environmental characteristics and changes in the demand of a resource. The decision making policies of the system are revised constantly in order to assure steady performance. This guarantees stable optimization even in doubtful cases. Less convergence time and stability allows faster deployment and stability. These findings justify that adaptive reinforcement learning offers efficient and stable optimization; it is quite appropriate in the present day intelligent computing and operational environments in the world to be used in real-time resources management problems under the autonomous mode.




Fig. 3 Reinforcement Learning Decision-Making for Autonomous Vehicles Based on Semantic Segmentation

TABLE V CONVERGENCE SPEED COMPARISON

Method	Iterations Required
Traditional Methods	1500
Reinforcement Learning	800
Adaptive Reinforcement Learning	450



D. Autonomous Decision Making Efficiency

Adaptive reinforcement learning plays a huge role in increasing the efficiency of autonomous decision-making in the sense that it allows systems to learn, judge, and optimize resource allocation policies on their own. The autonomy of the decision-making process is fundamentally required of the intelligent systems that lay their operations in the complex, dynamic, and unpredictable environments where the use of manual control is ineffective or practically impossible. Adaptive reinforcement learning enables systems to keep on analyzing the environmental conditions, performance measures and arrive at optimum decisions informed by the learnt experience and adaptive policies. Among the findings are the fact that adaptive reinforcement learning will result in a cost reduction that is up to 39 percent less than the traditional optimization methods that only result in a cost reduction of 10 percent. Algorithms of machine learning enhance cost savings to 18 percent and do not have independent flexibility [10].

Compared to normal reinforcement learning that reduces the costs by 27 percent, adaptive reinforcement learning provides the best performance as it uses adaptive reinforcement reward optimization and independent learning abilities. These are the mechanisms that facilitate the effective utilization of resources, low cost of operation, and enhanced the operation of systems. Independent decision making also enhances resilience of the system and reliability. Adaptive reinforcement learning allows making real-time decisions through the continuous observation of the conditions of the system and changing the policies of resource allocation. This helps decrease time wastage, enhance efficiency as well as optimum system performance [12]. Autonomous learning means that it is not necessary to use manual intervention and allows the system to be managed effectively. These results validate the premise of adaptive reinforcement learning that it offers extremely efficient autonomous decision-making functionality, and it is therefore apt in an intelligent autonomous system like cloud computing, intelligent infrastructure, industrial automation and autonomous transportation networks that need dependable and efficient operational performance throughout the world today.




Fig. 4 Designing Reward Functions Using Active Performance Learning for Reinforcement Learning in Autonomous Driving Navigation

TABLE VI COST REDUCTION PERFORMANCE

Method	Cost Reduction (%)
Traditional	10
Machine Learning	18
Reinforcement Learning	27
Adaptive Reinforcement Learning	39

V. CONCLUSION

Adaptive reinforcement learning is an effective and strengthening solution to autonomic optimization of resources in complex and dynamic contexts. The combination of adaptive learning control systems, coordination of multiple agents and the optimization of intelligent rewards helps reinforcement learning models to perform better than the traditional optimization systems. The results of the study indicate that adaptive reinforcement learning will significantly enhance



care efficiency in terms of the resource used, lower costs of operations, increase speed of convergence, and bring about autonomous decision-making. The models of adaptive reinforcement learning offer scalable and flexible solutions that can be used in distributed and decentralized systems like smart grids, cloud computing, autonomous vehicles, and smart infrastructure systems. The suggested adaptive reinforcement learning model is highly scalable, stable, and efficient in maximising the resources allocation. Adaptive learning systems allow its constant system enhancement and performance optimization. The coordination among the multi-agent can overcome the scaling limit of the system and allow it to manage the resources efficiently in a large system environment. Future studies must be aimed at enhancing scalability, in real time adaptation, and upkeep with new technologies/enhancements including edge computing, digital twins, and quantum computing. Such developments will further optimize adaptive reinforcement learning in terms of its independence to independently optimize resources. In the future of intelligent systems, adaptive reinforcement learning will be an important aspect to facilitate intelligent, autonomous, and efficient management of resources.

REFERENCES

- [1]. M. Addai and M. Petr, "Artificial Intelligence-Enhanced Droop Control for Renewable Energy-Based Microgrids: A Comprehensive Review," *Electronics*, vol. 15, no. 3, p. 707, 2026.
- [2]. S. Ahmad, R. Ahmad, A. Al-Shamayleh, D. Nimma, M. Zaman, N. Ivković, K. Cengiz, A. Akhunzada, and E. Haider, "Flight into the future: a holistic review of AI-trends, vision, and challenges in drones technology," *The Artif. Intell. Rev.*, vol. 59, no. 2, p. 59, 2026.
- [3]. A. Alarcón Becerra, V. Albernaz Lacerda, R. Rocca, A. P. Talayero Navales, and E. A. Llombart, "Comparative Study of Neuroevolution and Deep Reinforcement Learning for Voltage Regulation in Power Systems," *Inventions*, vol. 10, no. 6, p. 110, 2025.
- [4]. H. S. AlSagri, A. Kumar, A. K. Jilani Saudagar, A. Kumar, and L. Raja, "Optimizing resource allocation in precision farming using quantum enhanced algorithms and quantum sensor networks," *J. Cloud Comput.*, vol. 14, no. 1, p. 47, 2025.
- [5]. A. Bibars, I. Timur, T. Nurdaulet, D. Gulmira, and N. Yedil, "A Review of Artificial Intelligence and Deep Learning Approaches for Resource Management in Smart Buildings," *Buildings*, vol. 15, no. 15, p. 2631, 2025.
- [6]. S. Chen, X. Chen, B. Qian, H. Zhang, and U. I. Wong Cora, "Adaptive Multi-Agent Reinforcement Learning with Graph Neural Networks for Dynamic Optimization in Sports Buildings," *Buildings*, vol. 15, no. 14, p. 2554, 2025.
- [7]. B. Claudia and A. Florea, "AIoT at the Frontline of Climate Change Management: Enabling Resilient, Adaptive, and Sustainable Smart Cities," *Climate*, vol. 14, no. 1, p. 19, 2026.
- [8]. L. Ekanayaka Gunasinghalge, Udayanga Gunasena, A. Alazab, and M. A. Talukder, "Artificial intelligence for energy optimization in smart buildings: A systematic review and meta-analysis," *Energy Inf.*, vol. 8, no. 1, p. 135, 2025.
- [9]. M. El-Hajj, "Secure and Trustworthy Open Radio Access Network (O-RAN) Optimization: A Zero-Trust and Federated Learning Framework for 6G Networks," *Future Internet*, vol. 17, no. 6, p. 233, 2025.
- [10]. H. Gao, D. Dekyi, and M. Metok, "Efficient unmanned aerial vehicle inspection and management of transmission lines in modern electric power enterprises," *Energy Inf.*, vol. 8, no. 1, p. 117, 2025.
- [11]. M. A. Hady, S. Hu, M. Pratama, Z. Cao, and R. Kowalczyk, "Multi-agent reinforcement learning for resources allocation optimization: a survey," *The Artif. Intell. Rev.*, vol. 58, no. 11, p. 354, 2025.
- [12]. S. Haohao and J. Wang, "A Knowledge-Driven Smart System Based on Reinforcement Learning for Pork Supply-Demand Regulation," *Agriculture*, vol. 15, no. 14, p. 1484, 2025.
- [13]. R. K. Hasan, A. Maqsood, and A. Basit, "Reinforcement learning for UAV flight controls: Evaluating continuous space reinforcement learning algorithms for fixed-wing UAVs," *PLoS One*, vol. 20, no. 10, p. 40, 2025.
- [14]. X. Jiahao and H. Hao, "Trajectory Prediction and Decision Optimization for UAV-Assisted VEC Networks: An Integrated LSTM-TD3 Framework," *Information*, vol. 16, no. 8, p. 646, 2025.
- [15]. Z. Jiamuyang, F. Shuxiang, B. Zhang, W. Aichen, L. Zhang, and Z. Qingzhen, "Research Status and Development Trends of Deep Reinforcement Learning in the Intelligent Transformation of Agricultural Machinery," *Agriculture*, vol. 15, no. 11, p. 1223, 2025.
- [16]. L. Jiang, B. Xu, H. Naveed, and Q. Wang, "Overview of Agricultural Machinery Automation Technology for Sustainable Agriculture," *Agronomy*, vol. 15, no. 6, p. 1471, 2025.
- [17]. W. Jianhao, C. Liu, F. Vladimir, Y. Dmitry, C. Rongjie, Z. Ao, and A. Zuev, "Review of Research on Cooperative Path Planning Algorithms for AUV Clusters," *Drones*, vol. 9, no. 11, p. 790, 2025.
- [18]. W. Li and L. Wang, "Intelligent Logistics Resource Scheduling Based on Hybrid Parameter Ant Colony Algorithm and Reinforcement Learning," *Informatica*, vol. 49, no. 13, pp. 33–48, 2025.
- [19]. Z. Liu, C. Wenchu, L. Zeng, and X. He, "Towards Scalable Intelligence: A Low-Complexity Multi-Agent Soft Actor-Critic for Large-Model-Driven UAV Swarms," *Drones*, vol. 9, no. 11, p. 788, 2025.



- [20]. Z. Liu, "Intelligent monitoring and control of farmland based on edge-cloud collaboration and digital twin for digital energy management: investment benefit analysis," *Sustain. Energy Res.*, vol. 12, no. 1, p. 43, 2025.
- [21]. H. Longzhe, Z. Tian, J. Zhao, B. Xuecai, G. Liu, and Y. Liu, "Queue Stability-Constrained Deep Reinforcement Learning Algorithms for Adaptive Transmission Control in Multi-Access Edge Computing Systems," *Algorithms*, vol. 18, no. 8, p. 498, 2025.
- [22]. T. S. Mohajon, B. Anjan, K. M. Shamim, and R. Kanad, "QiMARR: Quantum-Inspired Multi-Agent Reinforcement Learning Strategy for Efficient Resource Energy Distribution in Nodal Power Stations," *AI*, vol. 6, no. 9, p. 209, 2025.
- [23]. P. Oleh and S. Myroslav, "Scalable MLOps Pipeline with Complexity-Driven Model Selection Using Microservices," *Technologies*, vol. 14, no. 1, p. 45, 2026.
- [24]. D. Pathare, L. Laine, and M. H. Chehreghani, "Tactical decision making for autonomous trucks by deep reinforcement learning with total cost of operation based reward," *The Artif. Intell. Rev.*, vol. 59, no. 1, p. 27, 2026.
- [25]. M. A. Rahman, S. M. Farhan, I. Kamran, and A. A. Abushaiba, "Enabling Intelligent Industrial Automation: A Review of Machine Learning Applications with Digital Twin and Edge AI Integration," *Automation*, vol. 6, no. 3, p. 37, 2025.
- [26]. M. K. Roberts, S. K. Shanmugam, M. Al-Razgan, and T. Alfakih, "A nature-inspired dual phased fuzzy hybrid algorithm for adaptive self-healing and dynamic energy-aware resource management in cloud computing," *J. Cloud Comput.*, vol. 14, no. 1, p. 62, 2025.
- [27]. Y. Sanjalawe, S. Fraihat, S. Al-E'mari, M. Abualhaj, S. Makhadmeh, and E. Alzubi, "Smart load balancing in cloud computing: Integrating feature selection with advanced deep learning models," *PLoS One*, vol. 20, no. 9, p. 51, 2025.
- [28]. J. Shen, Z. Fanghao, T. Chen, W. Deng, A. Bellotti, F. B. Tesema, and E. Lucchi, "Optimizing Urban Land-Use Through Deep Reinforcement Learning: A Case Study in Hangzhou for Reducing Carbon Emissions," *Land*, vol. 14, no. 12, p. 2368, 2025.
- [29]. H. Songyue, W. Pengfei, L. Zhixuan, M. Wang, D. Li, and F. Chengli, "Research on the Construction and Resource Optimization of a UAV Command Information System Based on Large Language Models," *Drones*, vol. 9, no. 9, p. 639, 2025.
- [30]. N. P. Sreeja Balachandran, G. Sundaram, M. Rivera, P. Wheeler, and R. E. Pérez Guzmán, "Reinforcement Q-Learning-Based Adaptive Encryption Model for Cyberthreat Mitigation in Wireless Sensor Networks," *Sensors*, vol. 25, no. 7, p. 2056, 2025.