IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940



International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026

DOI: 10.17148/IJARCCE.2026.1510104

Application of Computer Vision Technology in Industrial Automation

Aishwarya Solanke[1], Bhumika Solanke[2], Prof. More. N.N[3]

Department of Master of Computer Application, Samarth College of Engineering and Management, Belhe, India[1,2]

Project Guide, Department of Master of Computer Application, Samarth College of Engineering and Management, Belhe, India[3]

Abstract: Computer vision enables machines to acquire, process, and interpret visual information from industrial scenes, and it has become a key enabling technology for modern automation. This paper presents a structured study of the application of computer vision technology in industrial automation, covering automated visual inspection, defect detection, object detection and localization, vision-guided robotics, quality control, and workplace safety monitoring. A conceptual framework is proposed in which industrial cameras capture images on the production line, preprocessing and feature-extraction stages prepare the data, deep-learning models perform inspection and classification, and the results are passed to programmable logic controllers (PLCs) or robotic controllers for real-time action. Deep-learning approaches such as convolutional neural networks, object detectors, and segmentation networks are discussed together with lightweight edge-deployment models that suit the strict latency requirements of production lines.

The study also examines the main practical challenges, including variation in lighting, limited availability of labelled defect images, real-time processing constraints, integration with legacy control systems, and the need for interpretable decisions. Overall, the framework aims to improve inspection accuracy, consistency, and throughput while reducing manual effort and production waste. However, its actual performance needs to be verified through practical implementation and testing on realistic industrial datasets. Future research should evaluate factors such as detection accuracy, false-alarm rate, inference latency, throughput, and robustness under changing factory conditions to determine its suitability for real-world deployment.

Keywords: Computer vision, industrial automation, deep learning, defect detection, machine vision, Industry 4.0, quality inspection.

I. INTRODUCTION

Industrial automation aims to operate manufacturing and process systems with minimal human intervention, improving productivity, safety, and product quality. The transition towards Industry 4.0 has accelerated this goal by combining sensors, networked machines, data analytics, and intelligent software on the factory floor [1]. Within this setting, computer vision has emerged as one of the most valuable technologies because it allows machines to see, measure, and understand their surroundings in a way that traditionally depended on human operators.

Traditional manual inspection is slow, subjective, and prone to fatigue, while conventional rule-based machine-vision systems work well only when lighting, part position, and appearance are tightly controlled. Computer vision systems based on modern deep learning can learn discriminative patterns directly from images and handle a wider range of variations in texture, shape, and colour. As a result, they are now used for surface-defect detection, dimensional measurement, component counting, assembly verification, barcode and character recognition, robotic pick-and-place, and monitoring of worker safety [2].

The expected outcomes of this study indicate that integrating industrial cameras, deep-learning-based inspection models, and control systems such as PLCs and robotic controllers could improve inspection consistency, speed, and traceability compared with manual and purely rule-based approaches. Automated inspection can operate continuously, record every inspected item, and trigger immediate corrective action, for example rejecting a defective part or stopping a machine before further waste is produced.

Despite these potential benefits, computer vision systems in industrial automation face several challenges, including changing illumination and reflections, scarcity of labelled defect samples, strict real-time requirements, hardware and

 This work is licensed under a Creative Commons Attribution 4.0 International License

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940

International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026

DOI: 10.17148/IJARCCE.2026.1510104

installation costs, difficulty of integration with legacy equipment, and lack of transparency in the decisions of deep-learning models. These challenges need to be considered during design, implementation, and evaluation.

Overall, this study aims to explore how computer vision technology can be applied in a structured way to support accurate, fast, and reliable industrial automation. Its actual effectiveness will need to be confirmed through systematic testing and performance evaluation under realistic production conditions.




Figure 1: Qualitative Comparison of Inspection Approaches

The grouped bar chart gives a qualitative comparison of manual inspection, rule-based machine vision, and deep-learning-based vision across five criteria on a 1–5 scale. The ratings are illustrative, reflect general trends discussed in the literature, and are not measured experimental results; the figure is intended for descriptive comparison only. Tool: Python Matplotlib.




Figure 2: Edge–Cloud Deployment Architecture

Reproducibility specification: Block diagram. Components = Cameras and lighting, Edge device (real-time inference), PLC / robot controller, Cloud / MES (logging, analytics, model updates). Tool: Python Matplotlib. The diagram is conceptual and does not depict a specific commercial system.

II. PROBLEM STATEMENT

In the present era of smart manufacturing, industries such as automotive, electronics, textiles, food processing, pharmaceuticals, and packaging produce items at high speed and in large volumes. At such speeds, ensuring that every product meets quality standards is difficult. Manual visual inspection depends on the attention and experience of the operator, varies from person to person, and cannot be maintained consistently over long shifts. Even a small defect that escapes detection can lead to rework, customer complaints, safety risks, and financial loss [2].



International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026
DOI: 10.17148/IJARCCE.2026.1510104

Conventional machine-vision systems based on fixed thresholds and hand-crafted features can automate simple inspection tasks, but they often fail when the appearance of the product changes, when lighting conditions vary, or when defects are subtle and irregular. Furthermore, collecting large numbers of labelled defect images is often impractical, because defects are rare on well-run production lines and annotation requires expert time [3], [4]. Real-time operation, integration with existing PLC-based control systems, and the need for reliable decisions that engineers can trust add further complexity.

To overcome these challenges, an intelligent and practical computer vision approach is needed that can acquire consistent images, detect and classify defects accurately, operate within the time limits of the production line, communicate with control equipment, and provide understandable evidence for its decisions. The proposed study, titled "Application of Computer Vision Technology in Industrial Automation," aims to explore such an approach. Image-acquisition hardware captures products on the line, deep-learning models analyse the images, and the results are passed to the control system so that defective items can be rejected or machine parameters can be adjusted.

Overall, the study aims to describe a structured and adaptable approach to applying computer vision in industrial environments, with the goal of improving product quality, reducing waste, and supporting safe and efficient operation. The framework's actual effectiveness, however, will need to be established through implementation and evaluation under realistic production conditions.

III. LITERATURE REVIEW

Computer vision has been studied for several decades as a means of enabling machines to extract useful information from images, and its classical techniques include filtering, edge detection, thresholding, morphological operations, template matching, and feature descriptors [5]. These methods remain useful in controlled industrial settings because they are fast and easy to interpret. However, they depend on carefully designed rules and tend to lose reliability when products, backgrounds, or illumination change.

The introduction of deep convolutional neural networks transformed visual recognition. Krizhevsky et al. [6] showed that deep CNNs could greatly improve large-scale image classification, and He et al. [7] introduced residual networks that made much deeper models easier to train. These backbones are widely reused for industrial classification tasks through transfer learning, which reduces the amount of labelled data needed. Object detectors such as Faster R-CNN [8] and YOLO [9] locate and classify several objects in a single image and are commonly applied to component detection, counting, and defect localization, while segmentation networks such as U-Net [10] provide pixel-level delineation of defect regions.

Industrial deployment places additional demands on models. Lightweight architectures such as MobileNets [11] reduce computation and memory use so that inference can run on embedded and edge devices close to the camera. Surveys by Czimmermann et al. [2] and Wang et al. [3] review visual defect detection and deep learning for smart manufacturing, respectively, and identify surface inspection, assembly verification, and quality control among the most active application areas. Bergmann et al. [4] introduced the MVTec AD dataset to support unsupervised anomaly detection, which is valuable when defective samples are rare. Despite this progress, many published methods are evaluated on curated datasets, and their behaviour under real factory conditions such as vibration, dust, and lighting drift is reported less often. Explainability and reliability are also important for acceptance in industry. Techniques such as Grad-CAM [12] produce heat maps that highlight the image regions influencing a prediction, helping engineers check whether a model is attending to the actual defect rather than to background artefacts. In addition, Sculley et al. [13] point out that machine-learning systems accumulate maintenance costs over time, which is relevant to vision systems whose input data drift as materials, cameras, and lighting change. However, accuracy and explainability alone do not ensure that a vision system can be integrated with control hardware or meet real-time constraints.

IV. RESEARCH APPROACH

The proposed research adopts a systematic approach to designing and evaluating a computer vision framework for industrial automation. The main objective is to explore how image acquisition, image processing, deep-learning-based inspection, and control integration can work together to detect defects, guide machines, and support timely action on the production line. The methodology consists of the following stages.

 This work is licensed under a Creative Commons Attribution 4.0 International License

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940



International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026

DOI: 10.17148/IJARCCE.2026.1510104

A. Image Acquisition and Preprocessing

Industrial cameras, lenses, and controlled lighting should be selected according to the product size, surface type, and line speed. Images are then pre-processed using noise reduction, contrast enhancement, normalization, and region-of-interest cropping. The dataset description should include its source, number of images, image resolution, class labels, and limitations. Public datasets such as MVTec AD [4] or images from an authorized production line may be used.

B. Model Development

Convolutional neural network backbones such as ResNet [7] may be fine-tuned for classification, detectors such as YOLO [9] used for localization, and segmentation networks such as U-Net [10] used for defect-region extraction. Data augmentation and transfer learning can help cope with limited labelled data, and anomaly-detection methods can be considered when defective samples are very rare. The paper should specify the architecture, training settings, and data split.

C. Edge Deployment and Real-Time Inference

Trained models should be optimized, for example through lightweight architectures such as MobileNet [11], and deployed on edge devices located close to the camera to keep latency low. The per-image inference time must remain below the cycle time of the production line, and the hardware used should be reported.

D. Integration with Control Systems

The inspection result (accept, reject, or alarm) is communicated to the PLC or robot controller through standard industrial interfaces so that a defective item can be diverted, a robot can adjust its grasp, or a machine can be stopped. Safety-critical actions should include fail-safe behaviour, operator override, and logging of every decision. Grad-CAM [12] visualizations can be stored with rejected items to support audit and root-cause analysis.

E. Evaluation

The framework should be evaluated using accuracy, precision, recall, F1-score, false-alarm rate, missed-defect rate, inference latency, and throughput. Comparisons with manual inspection and rule-based baselines, repeated experiments, and monitoring of data drift [13] are needed before making claims about improved performance. No experimental results are reported in the current draft.

Image Acquisition	Preprocessing & Feature Extraction	Deep Learning Inspection Model	Defect Detection & Classification	PLC / Robot Control Action

Figure 3: Proposed Conceptual Framework

The diagram summarizes the proposed flow. In a complete implementation, images captured on the line are pre-processed and analysed by the inspection model, and the resulting decision is sent to the controller, while logged images and outcomes are used to monitor drift and to retrain the model periodically.

V. FUTURE SCOPE

The proposed application of computer vision technology in industrial automation has significant scope for further development. As manufacturing becomes more connected and data-driven, the framework can be improved and expanded.

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940



International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026

DOI: 10.17148/IJARCCE.2026.1510104

Table 1: Future Scope and Proposed Scope

Sr. No.	Future Scope	Proposed Improvement	Measurement
1	Real-World Factory Deployment	Implement and test the system on a live production line with industrial cameras and PLC integration.	Inference latency (ms); throughput (items/min)
2	Improved Defect Detection	Use advanced deep-learning and anomaly-detection techniques for rare and subtle defects.	Precision (%); Recall (%); F1-score (%)
3	3D and Multi-Sensor Vision	Combine 2D images with depth, infrared, or 3D sensing for dimensional and surface checks.	Measurement error (mm); detection accuracy (%)
4	Vision-Guided Robotics	Enable robots to locate, grasp, and assemble parts using visual feedback.	Pick success rate (%); cycle time (s)
5	Explainable Vision	Provide visual explanations for accept or reject decisions to build operator trust.	Explanation time (ms); operator feedback
6	False-Alarm Reduction	Improve separation of true defects from normal variation in lighting and texture.	False-positive rate (%); false-negative rate (%)
7	Scalability and Maintenance	Test with more cameras, product variants, and automatic retraining under data drift.	Training time (s); resource utilization (%)

VI. CONCLUSION

The proposed application of computer vision technology presents a promising approach to strengthening industrial automation. By integrating image acquisition, deep-learning-based inspection, and control-system integration, the framework aims to detect defects early, guide machines accurately, and give engineers clear evidence for the decisions made by the system.

Computer vision allows production lines to be inspected continuously and consistently, reducing dependence on manual checking and lowering the risk of defective products reaching customers. Edge deployment keeps response times short, while explainability techniques make automated decisions easier to review. However, practical challenges, including lighting variation, scarcity of labelled defect data, real-time constraints, integration with legacy equipment, and long-term model maintenance, need to be carefully addressed.

To determine whether the proposed framework performs as expected, it must be implemented and evaluated using realistic industrial datasets and production-line scenarios. Its results should be compared with manual and rule-based inspection using clearly defined performance measures. Such an evaluation would help establish its strengths, limitations, and suitability for practical use.

Overall, the study offers a useful direction for future research in intelligent manufacturing. With further development, proper testing, and extension to 3D sensing and vision-guided robotics, computer vision could help industries improve quality, reduce waste, and operate more safely and efficiently.

VII. ACKNOWLEDGMENT

I would like to express my sincere gratitude to my project guide for providing valuable guidance, continuous encouragement, and helpful suggestions throughout this research. Their support and feedback have helped me understand the research topic more clearly and complete this project.



International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.471 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 15, Issue 10, October 2026
DOI: 10.17148/IJARCCE.2026.1510104

I am also thankful to the Head of the Department, all faculty members, and my college for providing the necessary resources, academic support, and a positive learning environment. Their guidance and encouragement motivated me to explore emerging technologies and develop my knowledge in the field of computer vision and industrial automation.

I would also like to thank my friends and classmates for their cooperation, motivation, and useful discussions during the course of this project. Their support helped me overcome challenges and improve my understanding of the subject.
Finally, I am deeply grateful to my family for their constant encouragement, patience, and support throughout this journey. Their belief in me has been a source of motivation at every stage of my work.

Working on this research has helped me gain a better understanding of how computer vision, deep learning, and automation technologies can be combined to improve quality inspection and productivity in industrial environments. I sincerely thank everyone who directly or indirectly contributed to the completion of this research.

REFERENCES

[1]. Lasi, H., Fettke, P., Kemper, H.-G., Feld, T., & Hoffmann, M. (2014). Industry 4.0. Business & Information Systems Engineering, 6(4), 239–242.
[2]. Czimmermann, T., Ciuti, G., Milazzo, M., Controzzi, M., Stefanini, C., Menciassi, A., & Dario, P. (2020). Visual-based defect detection and classification approaches for industrial applications—A survey. Sensors, 20(5), 1459.
[3]. Wang, J., Ma, Y., Zhang, L., Gao, R. X., & Wu, D. (2018). Deep learning for smart manufacturing: Methods and applications. Journal of Manufacturing Systems, 48, 144–156.
[4]. Bergmann, P., Fauser, M., Sattlegger, D., & Steger, C. (2019). MVTec AD – A comprehensive real-world dataset for unsupervised anomaly detection. Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), 9592–9600.
[5]. Szeliski, R. (2022). Computer Vision: Algorithms and Applications (2nd ed.). Springer.
[6]. Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2017). ImageNet classification with deep convolutional neural networks. Communications of the ACM, 60(6), 84–90.
[7]. He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 770–778.
[8]. Ren, S., He, K., Girshick, R., & Sun, J. (2017). Faster R-CNN: Towards real-time object detection with region proposal networks. IEEE Transactions on Pattern Analysis and Machine Intelligence, 39(6), 1137–1149.
[9]. Redmon, J., Divvala, S., Girshick, R., & Farhadi, A. (2016). You only look once: Unified, real-time object detection. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 779–788.
[10]. Ronneberger, O., Fischer, P., & Brox, T. (2015). U-Net: Convolutional networks for biomedical image segmentation. Medical Image Computing and Computer-Assisted Intervention (MICCAI), LNCS 9351, 234–241.
[11]. Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., & Adam, H. (2017). MobileNets: Efficient convolutional neural networks for mobile vision applications. arXiv:1704.04861.
[12]. Selvaraju, R. R., Cogswell, M., Das, A., Vedantam, R., Parikh, D., & Batra, D. (2017). Grad-CAM: Visual explanations from deep networks via gradient-based localization. Proceedings of the IEEE International Conference on Computer Vision (ICCV), 618–626.
[13]. Sculley, D., Holt, G., Golovin, D., Davydov, E., Phillips, T., Ebner, D., Chaudhary, V., Young, M., Crespo, J.-F., & Dennison, D. (2015). Hidden technical debt in machine learning systems. Advances in Neural Information Processing Systems, 28.